



## VIII. C.

---

690 Chesterfield Pkwy W • Chesterfield MO 63017-0760  
Phone: 636-537-4000 • Fax 636-537-4798 • www.chesterfield.mo.us

---

May 7, 2008

Planning Commission  
City of Chesterfield  
690 Chesterfield Parkway West  
Chesterfield, MO 63017

The Planning Commission agenda for **May 12, 2008** will include the following item for your consideration:

**St. Luke's Hospital Parcel A (Campus Parking Lot Addition) Site Development Section Plan:** A Site Development Section Plan, Tree Stand Delineation Plan, Tree Preservation Plan, Landscape Plan and Lighting Plan for a section of a 55 acre lot of land zoned "MU" Medical Use District located at the southeast corner of Highway 141 (Woods Mill) at the intersection with St. Luke's Drive.

Dear Planning Commission:

George Stock, of Stock and Associates, has submitted a Site Development Section Plan, Tree Stand Delineation Plan, Tree Preservation Plan, Landscape Plan and Lighting Plan for your review. The Department of Planning and Public Works has reviewed this submittal and submits the following report.

### **BACKGROUND**

1. On December 17<sup>th</sup>, 2005, The City of Chesterfield approved Ordinance 2224 which changed the zoning from "NU" Non-Urban District to "MU" Medical Use District.
2. On April 10<sup>th</sup>, 2006, The Planning Commission approved the Site Development Concept Plan with a vote of 6-1.

### **SUBMITTAL INFORMATION**

1. The request is for an additional 88 parking spaces and a detention basin area in the northwest corner of the St. Luke's Hospital Campus, Parcel A.

**DEPARTMENTAL INPUT**

The submittal was reviewed and is in compliance with all City of Chesterfield ordinances. The Department of Planning and Public Works requests action on the Site Development Section Plan, Tree Stand Delineation Plan, Tree Preservation Plan, Landscape Plan and Lighting Plan.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Mara M. Perry". The signature is written in a cursive, flowing style.

Mara M. Perry, AICP  
Senior Planner of Plan Review


Cc: City Administrator  
City Attorney  
Director of Planning & Public Works

Attachments:  
Site Development Section Plan  
Tree Stand Delineation Plan  
Tree Preservation Plan  
Landscape Plan  
Lighting Plan

# ST. LUKE'S EPISCOPAL PRESBYTERIAN HOSPITAL - PARKING LOT ADDITION

CITY OF CHESTERFIELD, ST. LOUIS COUNTY, MISSOURI

## Site Development Section Plan North Parking Lot Addition "PARCEL A"



### INDEX

- 1 TITLE SHEET
- 2 SITE SECTION PLAN
- 3 SITE ORDINANCE
- 4 SITE ORDINANCE

### LEGEND

|         |                                  |
|---------|----------------------------------|
| ---     | EXISTING CONTOURS                |
| - - - - | EXISTING SANITARY SEWERS         |
| - - - - | EXISTING STORM SEWERS            |
| -----   | PROPOSED SANITARY SEWERS         |
| -----   | PROPOSED STORM SEWERS            |
| - - - - | EXISTING RIGHT-OF-WAY            |
| - - - - | PROPOSED RIGHT-OF-WAY            |
| - - - - | CENTERLINE                       |
| - - - - | EASEMENT                         |
| - - - - | NON-REINFORCED CONCRETE PAVEMENT |
| - - - - | REINFORCED CONCRETE PAVEMENT     |
| - - - - | EXISTING SPOT ELEVATION          |
| - - - - | PROPOSED SPOT ELEVATION          |
| - - - - | SWALE                            |
| - - - - | TO BE REMOVED & RELOCATED        |
| - - - - | TO BE USED IN PLACE              |
| - - - - | BACK OF CURB                     |
| - - - - | FACE OF CURB                     |
| - - - - | TRASH ENCLOSURE                  |
| - - - - | LIGHT STANDARD                   |
| - - - - | GAS MAIN                         |
| - - - - | WATER MAIN                       |
| - - - - | UNDERGROUND TELEPHONE            |
| - - - - | FIRE HYDRANT                     |
| - - - - | POWER PALE                       |
| - - - - | HAY BALE                         |
| - - - - | SILTATION CONTROL                |

### ABBREVIATIONS

|        |   |                          |
|--------|---|--------------------------|
| C.O.   | - | CLEANOUT                 |
| DB.    | - | DEED BOOK                |
| E      | - | ELECTRIC                 |
| FL     | - | FLOWLINE                 |
| FT     | - | FEET                     |
| HD.    | - | HYDRAULIC                |
| G      | - | GAS                      |
| LOC.   | - | LOCATOR NUMBER           |
| M.H.   | - | MANHOLE                  |
| N/F    | - | NOW OR FORMERLY          |
| P.     | - | PIPE                     |
| PG.    | - | PAGE BOOK                |
| P.V.C. | - | POLYVINYL CHLORIDE PIPE  |
| R.O.W. | - | RIGHT-OF-WAY             |
| R.C.P. | - | REINFORCED CONCRETE PIPE |
| SQ.    | - | SQUARE                   |
| T      | - | TELEPHONE CABLE          |
| V.C.P. | - | VETRIIFIED CLAY PIPE     |
| (8'W)  | - | RIGHT-OF-WAY WIDTH       |

### ST. LOUIS CO. BENCHMARK

12-141 - "CT" IN THE CENTER ISLAND AT CROSS TRIALS DRIVE (EAST ENTRANCE TO LAJUE TRIALS); 15' NORTH OF THE CENTERLINE OF LAJUE ROAD AND 0.2 MILE WEST OF HIGHWAY 141. ELEV.=489.48

### PREPARED FOR:

**St. Lukes Episcopal Presbyterian Hospitals**  
232 South Woods Mill Road  
Chesterfield, MO 63017  
Phone: (314) 201-1800  
Fax: (314) 201-6824  
Contact: Don Miller

**UTILITY NOTE:**  
UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE RECORDS AND FIELD SURVEY DATA. THESE UTILITIES AND STRUCTURES ARE SHOWN AS THEY ACTUALLY EXISTENCE. NON-EXISTENCE, SIZE, TYPE, NUMBER, OR LOCATION OF THESE FACILITIES, STRUCTURES AND UTILITIES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR SHALL VERIFY THE LOCATION AND DEPTH OF ALL UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES, EITHER BEFORE OR AFTER THE COMMENCEMENT OF THE PROJECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND REGULATORY AGENCIES' CONCERNING THE PROTECTION OF THESE UTILITIES AND STRUCTURES. THESE PROVISIONS SHALL IN NO WAY ABSOLVE ANY PARTY FROM COMPLYING WITH THE UNDERGROUND FACILITY SAFETY AND DAMAGE PREVENTION ACT, CHAPTER 318.100.

### SITE DEVELOPMENT CONCEPT PLAN: Recorded Book 354, Pages 364-378

### LOCATION MAP

### SITE INFORMATION

|                  |   |   |
|------------------|---|---|
| SITE ACREAGE     | = | 54.779 Acres ± (PARCEL "A")                 |
| OWNER            | = | St. Luke's Episcopal—Presbyterian Hospitals |
| SITE ADDRESS:    | = | 232 South Woodsmill Rd.                     |
| LOCATOR No.      | = | 18Q140260, 18Q140251, 18Q240306             |
| EXISTING ZONING  | = | "MU" "MEDICAL USE" (ORDINANCE NO. 2224)     |
| FIRE DISTRICT    | = | CHESTERFIELD FIRE PROTECTION                |
| SCHOOL DISTRICT  | = | PARKWAY DISTRICT                            |
| SEWER DISTRICT   | = | METROPOLITAN ST. LOUIS SEWER DIST.          |
| WATER SERVICE    | = | MISSOURI AMERICAN WATER COMPANY             |
| GAS SERVICE      | = | LACLEDE GAS                                 |
| ELECTRIC SERVICE | = | AMEREN U.E.                                 |
| PHONE SERVICE    | = | SBC   |

### GEOTECHNICAL ENGINEER'S STATEMENT


Neither SCI Engineering, Inc. (SCI) nor the undersigned has prepared any part of these plans. My signature and seal are included to confirm only my personal review and professional certification that the geotechnical engineering information on the project, dated October 2008 and are compatible with the soil and geologic conditions at the site, as anticipated from the exploration data.

Conditions may vary from those encountered during the exploration or can change due to construction activities, weather, or other site conditions. SCI is not responsible for the construction of this project to observe the actual subsurface conditions and implementation of our recommendations relative to the project. Construction means and methods shall be left to the Contractor.

In respect to the above, neither SCI nor the undersigned warrant or guarantee that the verification of their global stability shall be completed when the walls are designed.

SCIENTIFIC ENGINEERING, INC.

Shawanna L. Barker  
Theresa 4/14/08



GARY OLSON, the President/CEO of the property shown on the plat, has read and understands the provisions of Chapter 156, R.S.M., and has agreed to the provisions of Chapter 156, R.S.M.

(Applicable subsection) "MU," MOBILE USE of the City of Chesterfield Ordinance No. 2224 do hereby agree that said property from the date of recording this plan shall be developed only as shown thereon, unless said plan is amended by the Planning Commission, or voided or vacated by order of the City of Chesterfield Council.

(Signature) GARY OLSON

STATE OF MISSOURI } SS.  
COUNTY OF ST. LOUIS }

On this \_\_\_\_\_ day of \_\_\_\_\_, 2008, before me appeared \_\_\_\_\_, who, being by me duly sworn, did say that he / she is the \_\_\_\_\_

of St. Luke's Episcopal Presbyterian Hospitals, a Missouri Corporation, and that said \_\_\_\_\_ is the President/CEO of said Corporation and that the said instrument was signed and sealed on behalf of said Corporation by authority of its Board of Directors, and said \_\_\_\_\_ acknowledged said instrument to be the free act and deed of said Corporation.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Notarial Seal on the day and year last written above.

Notary Public \_\_\_\_\_  
Print Name \_\_\_\_\_

My commission expires: \_\_\_\_\_

This Site Development Section Plan was approved by the City of Chesterfield and duly verified on the \_\_\_\_\_ day of \_\_\_\_\_, 2008, by the Planning and Development Services Director, authorizing the recording of this plan. The information shown is a correct representation of an existing survey. The information shown is a correct representation of an existing survey and proposed land divisions.

CITY OF CHESTERFIELD, MISSOURI

By: \_\_\_\_\_ Planning and Development Services Director  
By: \_\_\_\_\_ City Clerk  
Ordinance No. 2224.

### SURVEYOR'S CERTIFICATION

This is to certify that Stock and Associates Consulting Engineers, Inc. (SAC) has surveyed the property shown on the plat and that the information shown is a correct representation of an existing survey and proposed land divisions.

STOCK AND ASSOCIATES CONSULTING ENGINEERS, INC.  
L.S. No. 222-D

By: \_\_\_\_\_ Daniel Ehlmann, Missouri L.S. No. 2047



April 24, 2008

2. 04/24/08 Per City Comments  
1. 04/15/08 Per City Comments

April 24, 2008

Stock and Associates Consulting Engineers, Inc. and the undersigned certify that the information shown on this plat is a correct representation of an existing survey and proposed land divisions. The information shown is a correct representation of an existing survey and proposed land divisions.

Sheet 1 of 4  
Title Page

204-3314.19 - Feb. 20, 2008

GEORGE M. STOCK E-25116

## ST. LUKE'S EPISCOPAL PRESBYTERIAN HOSPITAL CAMPUS CHESTERFIELD, MISSOURI

OWNER'S REPRESENTATIVE:  
HOSPITAL PLANNER:  
CIVIL ENGINEER:  
LANDSCAPE ARCHITECT:

DOSTER, MICKES, JAMES, & ULLOM, LLC  
TKH ARCHITECTS  
STOCK & ASSOCIATES, INC.  
LOOMIS ASSOCIATES









MONARCH TREES WITHIN WOODLANDS

| Existing Monarch Trees # | Caliper | Type       | Condition |
|--------------------------|---------|------------|-----------|
| A                        | 28"     | Sycamore   | Fair      |
| B                        | 36"     | Cottonwood | Fair      |
| C                        | 40"     | Sycamore   | Good      |
| D                        | 40"     | Sycamore   | Fair      |
| E                        | 24"     | Sycamore   | Fair      |
| F                        | 28"     | Sycamore   | Fair      |
| G                        | 24"     | Sycamore   | Fair      |
| H                        | 24"     | Sycamore   | Fair      |
| I                        | 28"     | Sycamore   | Fair      |
| J                        | 28"     | Sycamore   | Fair      |
| K                        | 40"     | Cottonwood | Fair      |
| L                        | 34"     | Cottonwood | Fair      |
| M                        | 36"     | Cottonwood | Good      |
| N                        | 36"     | Cottonwood | Fair      |
| O                        | 36"     | Sycamore   | Fair      |
| P                        | 28"     | Cottonwood | Fair      |

DESCRIPTION OF WOODLAND AREAS

A. Area along existing creek dominated by mature cottonwood and sycamore forest. Several Monarch trees are found immediately at the creek edges. The wooded understory consists of young cottonwood and sycamore with invasive honeysuckle.

Total S.F. of Type "A" Woodlands: 137,710 S.F.

B. This area is predominately a young woodland consisting of first succession vegetation along existing drainageways. Cottonwoods and sycamores are the dominant species. Small trees (1/2"-3") and honeysuckle shrubs are interspersed with occasional 12"-20" caliper trees found at creek edges. Much of the area is located off the property on State Highway 141 ROW.

Total S.F. of Type "B" Woodlands: 75,950 S.F.

C. Woodland areas along the perimeter of the property are dominated by deciduous canopy trees generally located within 5-10 feet of either side of the property line. Trees are a mix of upland deciduous varieties (oaks, maples, ash) creating a canopy that generally shades the area behind the eight-foot fence constructed on the hospital property. Occasional evergreens trees (white pines 12"-15") create additional buffering. Understory is dominated by invasive honeysuckle.

Total S.F. of Type "C" Woodlands: 32,630 S.F.


D. Woodland areas along the eastern perimeter consisting of a mixture of deciduous trees (oaks, maples, ash) that are located on either side of the driveway easement. The trees range in size but are generally found to be 12"-20" and create a fairly consistent deciduous canopy. Understory is limited to occasional honeysuckle.

Total S.F. of Type "D" Woodlands: 25,260 S.F.

Total S.F. of Woodlands on site: 270,560 S.F., or 6.22 acres

Tree Specialist:  
James M. Hensley  
Hensley Tree Services  
Arborist # MW-4337A

NOTE: Location of existing individual trees derived from AMENDED SITE DEVELOPMENT PLAN created by Heideman Associates, dated 10/24/02.



TREE STAND DELINEATION PLAN - OVERALL  
SCALE 1"=60'

CITY LIMIT OF TOWN & COUNTRY

Revised April 10, 2008



Tree Stand Delineation Plan - Overall  
204-3314.19 - Feb. 19, 2008



St. Luke's  
HOSPITAL

ST. LUKE'S EPISCOPAL PRESBYTERIAN  
HOSPITAL CAMPUS  
CHESTERFIELD, MISSOURI

OWNER'S REPRESENTATIVE:  
HOSPITAL PLANNER:  
CIVIL ENGINEER:  
LANDSCAPE ARCHITECT:

DOSTER, MICKES, JAMES, & LULLOM, LLC  
TKH ARCHITECTS  
STOCK & ASSOCIATES, INC.  
LOOMIS ASSOCIATES



**TREE STAND DELINEATION PLAN - SECTION**  
SCALE 1"=30'

**Condition Key**  
10 = Excellent  
1 = Very poor

| Existing Trees # | Caliper | Type          | Canopy   | Condition |
|------------------|---------|---------------|----------|-----------|
| 1                | 6"      | Scrub Oak     | 400 S.F. | 5         |
| 2                | 6"      | Scrub Oak     | 400 S.F. | 5         |
| 3                | 20"     | Pin Oak       | 700 S.F. | 7         |
| 4                | 15"     | Ash           | 500 S.F. | 6         |
| 5                | 6"      | Spruce        | 400 S.F. | 5         |
| 6                | 6"      | Spruce        | 400 S.F. | 5         |
| 7                | 15"     | Pin Oak       | 600 S.F. | 4         |
| 8                | 24"     | Pin Oak       | 900 S.F. | Monarch   |
| 9                | 15"     | Ash           | 500 S.F. | 6         |
| 10               | 15"     | Scrub Oak     | 400 S.F. | 5         |
| 11               | 15"     | Scrub Oak     | 400 S.F. | 5         |
| 12               | 12"     | Pin Oak       | 500 S.F. | 6         |
| 13               | 15"     | Pin Oak       | 600 S.F. | 5         |
| 14               | 15"     | Pin Oak       | 600 S.F. | 5         |
| 15               | 6"      | Scrub Oak     | 400 S.F. | 5         |
| 16               | 12"     | Pin Oak       | 500 S.F. | 6         |
| 17               | 6"      | Pin Oak       | 400 S.F. | 6         |
| 18               | 24"     | Pin Oak       | 900 S.F. | 6         |
| 19               | 6"      | Oak           | 400 S.F. | 3         |
| 20               | 15"     | Scrub Pine    | 500 S.F. | 5         |
| 21               | 6"      | Oak           | 400 S.F. | 4         |
| 22               | 6"      | Oak           | 400 S.F. | 4         |
| 23               | 15"     | Scrub Pine    | 500 S.F. | 4         |
| 24               | 15"     | Austrian Pine | 500 S.F. | 4         |
| 25               | 6"      | Heartloom     | 300 S.F. | 4         |
| 26               | 6"      | Heartloom     | 300 S.F. | 4         |
| 27               | 12"     | White Pine    | 500 S.F. | 4         |
| 28               | 6"      | Heartloom     | 300 S.F. | 4         |


| Existing Trees # | Caliper | Type        | Canopy   | Condition |
|------------------|---------|-------------|----------|-----------|
| 29               | 20"     | Pin Oak     | 800 S.F. | 8         |
| 30               | 15"     | Ash         | 500 S.F. | 5         |
| 31               | 15"     | White Pine  | 500 S.F. | 5         |
| 32               | 15"     | White Pine  | 500 S.F. | 4         |
| 33               | 24"     | Pin Oak     | 900 S.F. | 8         |
| 34               | 24"     | Pin Oak     | 900 S.F. | 8         |
| 35               | 12"     | White Pine  | 500 S.F. | 5         |
| 36               | 12"     | White Pine  | 500 S.F. | 5         |
| 37               | 24"     | Pin Oak     | 900 S.F. | 8         |
| 38               | 14"     | Sugar Maple | 500 S.F. | 7         |
| 39               | 24"     | Pin Oak     | 900 S.F. | 8         |
| 40               | 12"     | White Pine  | 500 S.F. | 5         |
| 41               | 12"     | White Pine  | 500 S.F. | 5         |
| 42               | 18"     | White Pine  | 600 S.F. | 5         |
| 43               | 15"     | White Pine  | 500 S.F. | 5         |
| 44               | 15"     | White Pine  | 500 S.F. | 5         |
| 45               | 15"     | White Pine  | 500 S.F. | 5         |
| 46               | 18"     | Pine        | 400 S.F. | 6         |
| 47               | 15"     | Pine        | 400 S.F. | 6         |
| 48               | 15"     | Pine        | 400 S.F. | 6         |
| 49               | 15"     | Pine        | 400 S.F. | 6         |
| 50               | 6"      | White Pine  | 400 S.F. | 4         |
| 51               | 15"     | White Pine  | 500 S.F. | 5         |
| 52               | 15"     | White Pine  | 500 S.F. | 5         |
| 53               | 10"     | Pine        | 400 S.F. | 1 (poor)  |
| 54               | 10"     | Pine        | 400 S.F. | 5         |
| 55               | 15"     | White Pine  | 500 S.F. | 5         |
| 56               | 12"     | White Pine  | 500 S.F. | 4         |
| 57               | 12"     | White Pine  | 500 S.F. | 4         |
| 58               | 15"     | Ash         | 500 S.F. | 6         |

| Existing Monarch Trees # | Caliper | Type    | Canopy     | Condition |
|--------------------------|---------|---------|------------|-----------|
| 1                        | 20"     | Monarch | 1,000 S.F. | Fair      |

**DESCRIPTION OF WOODLAND AREAS**  
 B. This area is predominately a young woodland consisting of first succession vegetation along existing drainage ways. Cottonwoods and sycamores are the dominant species. Small trees (12'-37') and honeysuckle shrubs are interspersed with occasional 12'-20" caliper trees found at creek edges.  
 C. Woodland areas along the perimeter of the property are dominated by deciduous canopy trees generally located within 5-10 feet of either side of the property line. Trees are a mix of upland deciduous varieties (oaks, maples, ash) creating a canopy that is approximately 10-15 feet high. The understory is dominated by invasive honeysuckle. Occasional evergreens trees (white pines 12'-15') create additional buffering.

**Tree Specialist:**  
 Hansen's Tree Service  
 Jesse Noel  
 Arborist # MW-4337A

**Tree Stand Delineation Plan - Section**  
204-3314-19 - Feb. 19, 2008



**St. Luke's HOSPITAL**

**ST. LUKE'S EPISCOPAL PRESBYTERIAN HOSPITAL CAMPUS**  
CHESTERFIELD, MISSOURI

**OWNER'S REPRESENTATIVE:** DOSTER, MICKES, JAMES, & ULLOM, LLC  
**HOSPITAL PLANNER:** TKH ARCHITECTS  
**CIVIL ENGINEER:** STOCK & ASSOCIATES, INC.  
**LANDSCAPE ARCHITECT:** LOOMIS ASSOCIATES

Revised April 25, 2008  
Revised April 10, 2008

4/27/08





**TREE PRESERVATION PLAN**  
SCALE 1"=30'

| #  | Caliper | Type       | Canopy    | Condition |
|----|---------|------------|-----------|-----------|
| 50 | 14"     | White Pine | 1000 S.F. | 4         |
| 51 | 14"     | White Pine | 1000 S.F. | 6         |
| 52 | 12"     | Pine       | 400 S.F.  | 1 (UPH)   |
| 53 | 12"     | Pine       | 400 S.F.  | 1 (UPH)   |
| 54 | 15"     | Pine       | 400 S.F.  | 1 (UPH)   |
| 55 | 15"     | Sweet Gum  | 400 S.F.  | 6         |
| 56 | 12"     | White Pine | 400 S.F.  | 4         |
| 57 | 12"     | White Pine | 400 S.F.  | 4         |
| 58 | 15"     | White Pine | 400 S.F.  | 4 (DOWN)  |
| 59 | 12"     | White Pine | 500 S.F.  | 4         |
| 60 | 15"     | White Pine | 500 S.F.  | 4         |
| 61 | 15"     | White Pine | 500 S.F.  | 4         |
| 62 | 10"     | White Pine | 500 S.F.  | 1         |
| 63 | 10"     | Road Maple | 400 S.F.  | 7         |
| 64 | 12"     | White Pine | 400 S.F.  | 4         |
| 65 | 14"     | White Pine | 400 S.F.  | 4         |
| 66 | 14"     | White Pine | 400 S.F.  | 4         |
| 67 | 24"     | Pin Oak    | 600 S.F.  | 6         |
| 68 | 24"     | Pin Oak    | 600 S.F.  | 6         |
| 69 | 15"     | White Pine | 500 S.F.  | 4         |
| 70 | 12"     | White Pine | 500 S.F.  | 5         |
| 71 | 15"     | White Pine | 600 S.F.  | 5         |
| 72 | 15"     | White Pine | 600 S.F.  | 5         |
| 73 | 5"      | Road Maple | 400 S.F.  | 8         |
| 74 | 5"      | Road Maple | 400 S.F.  | 8         |
| 75 | 6"      | White Pine | 400 S.F.  | 6         |
| 76 | 6"      | White Pine | 400 S.F.  | 6         |
| 77 | 15"     | White Pine | 500 S.F.  | 6         |
| 78 | 15"     | White Pine | 500 S.F.  | 6         |
| 79 | 15"     | White Pine | 500 S.F.  | 6         |
| 80 | 12"     | Pine       | 300 S.F.  | 4         |
| 81 | 12"     | Pine       | 300 S.F.  | 4         |
| 82 | 15"     | Ash        | 500 S.F.  | 6         |
| 83 | 15"     | Ash        | 500 S.F.  | 6         |
| 84 | 15"     | Ash        | 500 S.F.  | 6         |
| 85 | 15"     | Ash        | 500 S.F.  | 6         |
| 86 | 15"     | Ash        | 500 S.F.  | 6         |
| 87 | 15"     | Ash        | 500 S.F.  | 6         |
| 88 | 15"     | Ash        | 500 S.F.  | 6         |

| #  | Caliper | Type       | Canopy      | Condition |
|----|---------|------------|-------------|-----------|
| 1  | 28"     | Sycamore   | 12,000 S.F. | 7         |
| 2  | 28"     | Sycamore   | 12,000 S.F. | 7         |
| 3  | 20"     | Pin Oak    | 300 S.F.    | 7         |
| 4  | 15"     | Ash        | 500 S.F.    | 6         |
| 5  | 6"      | Spice      | 400 S.F.    | 5         |
| 6  | 6"      | Ash        | 400 S.F.    | 5         |
| 7  | 15"     | Ash        | 500 S.F.    | 6         |
| 8  | 15"     | Ash        | 500 S.F.    | 6         |
| 9  | 15"     | Ash        | 500 S.F.    | 6         |
| 10 | 24"     | Lincoln    | 500 S.F.    | 5         |
| 11 | 12"     | Lincoln    | 500 S.F.    | 5         |
| 12 | 12"     | Lincoln    | 500 S.F.    | 5         |
| 13 | 15"     | Pin Oak    | 600 S.F.    | 7         |
| 14 | 6"      | Spice      | 400 S.F.    | 5         |
| 15 | 12"     | Pin Oak    | 400 S.F.    | 5         |
| 16 | 12"     | Pin Oak    | 400 S.F.    | 5         |
| 17 | 8"      | Pin Oak    | 400 S.F.    | 6         |
| 18 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 19 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 20 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 21 | 6"      | Hawthorn   | 300 S.F.    | 4         |
| 22 | 6"      | Hawthorn   | 300 S.F.    | 4         |
| 23 | 15"     | Ash        | 500 S.F.    | 6         |
| 24 | 15"     | Ash        | 500 S.F.    | 6         |
| 25 | 15"     | Ash        | 500 S.F.    | 6         |
| 26 | 15"     | Ash        | 500 S.F.    | 6         |
| 27 | 15"     | Ash        | 500 S.F.    | 6         |
| 28 | 15"     | Ash        | 500 S.F.    | 6         |
| 29 | 15"     | Ash        | 500 S.F.    | 6         |
| 30 | 15"     | Ash        | 500 S.F.    | 6         |
| 31 | 15"     | Ash        | 500 S.F.    | 6         |
| 32 | 15"     | Ash        | 500 S.F.    | 6         |
| 33 | 15"     | Ash        | 500 S.F.    | 6         |
| 34 | 15"     | Ash        | 500 S.F.    | 6         |
| 35 | 15"     | Ash        | 500 S.F.    | 6         |
| 36 | 15"     | Ash        | 500 S.F.    | 6         |
| 37 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 38 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 39 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 40 | 12"     | White Pine | 500 S.F.    | 5         |
| 41 | 12"     | White Pine | 500 S.F.    | 5         |
| 42 | 12"     | White Pine | 500 S.F.    | 5         |
| 43 | 15"     | White Pine | 500 S.F.    | 6         |
| 44 | 15"     | White Pine | 500 S.F.    | 6         |
| 45 | 15"     | White Pine | 500 S.F.    | 6         |
| 46 | 15"     | White Pine | 500 S.F.    | 6         |
| 47 | 8"      | Pine       | 300 S.F.    | 4         |
| 48 | 15"     | Pine       | 400 S.F.    | 5         |
| 49 | 15"     | Pine       | 400 S.F.    | 5         |

| #  | Caliper | Type       | Canopy      | Condition |
|----|---------|------------|-------------|-----------|
| 1  | 28"     | Sycamore   | 12,000 S.F. | 7         |
| 2  | 28"     | Sycamore   | 12,000 S.F. | 7         |
| 3  | 20"     | Pin Oak    | 300 S.F.    | 7         |
| 4  | 15"     | Ash        | 500 S.F.    | 6         |
| 5  | 6"      | Spice      | 400 S.F.    | 5         |
| 6  | 6"      | Ash        | 400 S.F.    | 5         |
| 7  | 15"     | Ash        | 500 S.F.    | 6         |
| 8  | 15"     | Ash        | 500 S.F.    | 6         |
| 9  | 15"     | Ash        | 500 S.F.    | 6         |
| 10 | 24"     | Lincoln    | 500 S.F.    | 5         |
| 11 | 12"     | Lincoln    | 500 S.F.    | 5         |
| 12 | 12"     | Lincoln    | 500 S.F.    | 5         |
| 13 | 15"     | Pin Oak    | 600 S.F.    | 7         |
| 14 | 6"      | Spice      | 400 S.F.    | 5         |
| 15 | 12"     | Pin Oak    | 400 S.F.    | 5         |
| 16 | 12"     | Pin Oak    | 400 S.F.    | 5         |
| 17 | 8"      | Pin Oak    | 400 S.F.    | 6         |
| 18 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 19 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 20 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 21 | 6"      | Hawthorn   | 300 S.F.    | 4         |
| 22 | 6"      | Hawthorn   | 300 S.F.    | 4         |
| 23 | 15"     | Ash        | 500 S.F.    | 6         |
| 24 | 15"     | Ash        | 500 S.F.    | 6         |
| 25 | 15"     | Ash        | 500 S.F.    | 6         |
| 26 | 15"     | Ash        | 500 S.F.    | 6         |
| 27 | 15"     | Ash        | 500 S.F.    | 6         |
| 28 | 15"     | Ash        | 500 S.F.    | 6         |
| 29 | 15"     | Ash        | 500 S.F.    | 6         |
| 30 | 15"     | Ash        | 500 S.F.    | 6         |
| 31 | 15"     | Ash        | 500 S.F.    | 6         |
| 32 | 15"     | Ash        | 500 S.F.    | 6         |
| 33 | 15"     | Ash        | 500 S.F.    | 6         |
| 34 | 15"     | Ash        | 500 S.F.    | 6         |
| 35 | 15"     | Ash        | 500 S.F.    | 6         |
| 36 | 15"     | Ash        | 500 S.F.    | 6         |
| 37 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 38 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 39 | 24"     | Pin Oak    | 600 S.F.    | 6         |
| 40 | 12"     | White Pine | 500 S.F.    | 5         |
| 41 | 12"     | White Pine | 500 S.F.    | 5         |
| 42 | 12"     | White Pine | 500 S.F.    | 5         |
| 43 | 15"     | White Pine | 500 S.F.    | 6         |
| 44 | 15"     | White Pine | 500 S.F.    | 6         |
| 45 | 15"     | White Pine | 500 S.F.    | 6         |
| 46 | 15"     | White Pine | 500 S.F.    | 6         |
| 47 | 8"      | Pine       | 300 S.F.    | 4         |
| 48 | 15"     | Pine       | 400 S.F.    | 5         |
| 49 | 15"     | Pine       | 400 S.F.    | 5         |

**Tree Protection Notes:**


- 1) Clearing limit shall be staked by surveyor to facilitate fencing and/or trenching requirements.
- 2) No clearing or grading shall begin in areas where tree protection and/or treatments have not been completed.
- 3) Tree protection signage will be posted.
- 4) Tree protection measures to be maintained throughout construction sequence.
- 5) Tree Specialist is:

Jesse Noel  
Hansen's Tree Service  
Hansen's Tree Service  
OT-PA-10-03-086  
OT-PA-10-03-086  
Certified Arborist MW-4337A

**Tree Area Calculations:**  
Existing Woodlands - Overall Site  
Existing Woodlands to be Removed  
Woodlands to Remain:  
6.22 ac. (270,950 s.f.)  
0.02 ac. (945 s.f.) - or 0.3%  
6.20 ac. (270,005 s.f.) - or 99.7%

Existing Tree Canopy - Individual Trees  
Canopy to be Removed - Individual Trees  
Existing Tree Canopy to Remain:  
1.07 ac. (46,600 s.f.)  
0.42 ac. (18,500 s.f.) - or 40%  
0.65 ac. (28,100 s.f.) - or 60%

**Total Tree Canopy to be Removed:**  
0.44 ac. (19,445 s.f.) - or 6.1%  
**Total Tree Canopy to Remain:**  
6.85 ac. (296,105 s.f.) - or 93.9%



**KEY**

- Existing tree to remain
- Tree protection fencing
- Existing tree to be removed

Revised April 25, 2008  
Revised April 10, 2008

**Tree Preservation Plan**  
204-3314.19 - Feb. 19, 2008

TREE PROTECTION DETAIL  
n.t.s.



**ST. LUKE'S EPISCOPAL PRESBYTERIAN  
HOSPITAL CAMPUS**  
CHESTERFIELD, MISSOURI

OWNER'S REPRESENTATIVE:  
HOSPITAL PLANNER:  
CIVIL ENGINEER:  
LANDSCAPE ARCHITECT:

DOSTER, MICKES, JAMES, & LULLOM, LLC  
TKH ARCHITECTS  
STOCK & ASSOCIATES, INC.  
LOOMIS ASSOCIATES






LANDSCAPE PLAN  
SCALE 1"=30'


| NO. | QUANTITY | SYMBOL       | PLANTING SCHEDULE                | DATE   | MARKED HEIGHT | TYPE      |
|-----|----------|--------------|----------------------------------|--------|---------------|-----------|
| A   | 8        | Asper        | Asper ribum 'Red Sunset'         | 2 1/2' | 25'+          | Deciduous |
| B   | 1        | Tilia        | Tilia cordata                    | 2 1/2' | 45'+          | Deciduous |
| C   | 6        | Fraxinus     | Fraxinus americana 'Junglirater' | 2 1/2' | 45'+          | Deciduous |
| D   | 5        | Taxodium     | Taxodium distichum               | 2 1/2' | 45'+          | Deciduous |
| E   | 5        | Liriodendron | Liriodendron tulipifera          | 2 1/2' | 45'+          | Deciduous |
| F   | 12       | Pinus        | Pinus strobus                    | 6'     | 45'+          | Evergreen |
| G   | 12       | Picea        | Picea alauca                     | 6'     | 45'+          | Evergreen |
| H   | 14       | Cercis       | Cercis canadensis                | 2 1/2' | 25' - 35'     | Deciduous |

- General Notes:  
 1) All disturbed areas will be seeded.  
 2) In ground automatic irrigation system to be provided for landscape areas  
 3) Openpace calculations:

Total Property Land: 54.76 Ac.  
 Total Coverage : 25.20 Ac. (46.0%)  
 Total Openpace: 29.56 Ac. (54.0%)



Landscape Plan  
204-3314.19 - Feb. 19, 2008



Revised April 25, 2008  
 Revised April 10, 2008






St. Luke's  
HOSPITAL

ST. LUKE'S EPISCOPAL PRESBYTERIAN  
 HOSPITAL CAMPUS  
 CHESTERFIELD, MISSOURI

OWNER'S REPRESENTATIVE:  
 HOSPITAL PLANNER:  
 CIVIL ENGINEER:  
 LANDSCAPE ARCHITECT:

DOSTER, MICKES, JAMES, & ULLOM, LLC  
 TKH ARCHITECTS  
 STOCK & ASSOCIATES, INC.  
 LOOMIS ASSOCIATES



**Numeric Summary**

| Label         | CalcType | Units | Avg | Max  | Min | Avg/Min | Max/Min |
|---------------|----------|-------|-----|------|-----|---------|---------|
| CalcType      | FC       | 2.20  | 0.8 | 5.50 | 0.4 | 13.75   | 13.75   |
| Property Line | FC       | 0.00  | 0.0 | 0.0  | N/A | N/A     | N/A     |

**Luminaire Schedule**

| Symbol | Label | Description                    | Beam Spread | Beam Angle | Beam Diameter | Beam Length | Beam Area | Beam Volume |
|--------|-------|--------------------------------|-------------|------------|---------------|-------------|-----------|-------------|
| S1     | EX    | EXISTING 400W MH SHOEX ASSY    | SINGLE      | 36000      | 1.000         | 36000       | 36000     | 36000       |
| S2     | SS    | PFM-H40-V5-F 8 20' ABOVE GRADE | SINGLE      | 36000      | 1.000         | 36000       | 36000     | 36000       |
| S3     | S3    | PFM-H40-V3-F 8 20' ABOVE GRADE | SINGLE      | 36000      | 1.000         | 36000       | 36000     | 36000       |

File Name: St Luke's Main Campus Parking R1.AGI  
 Date: 4/14/2008  
 Calculations provided by Luikart-Eason-Calcesters & Co.  
 11088 Millpark Dr. Suite 120 Maryland Heights, Mo. 63043  
 Phone: 314-298-7500 Fax 314-298-8508 Website: leclog.com



2. 04/24/08 Per City Comments  
 1. 04/15/08 Per City Comments  
 April 24, 2008



**Sheet 1 of 1**  
**Site Photometric Plan**  
 204-3314.19 - Feb. 20, 2008  
 GEORGE M. STOCK E-25116



**ST. LUKE'S EPISCOPAL PRESBYTERIAN  
 HOSPITAL CAMPUS  
 CHESTERFIELD, MISSOURI**

OWNER'S REPRESENTATIVE:  
 DOSTER, MICKES, JAMES, & ULLOM, LLC  
 HOSPITAL PLANNER:  
 TKH ARCHITECTS  
 STOCK & ASSOCIATES, INC.  
 CIVIL ENGINEER:  
 LOOMIS ASSOCIATES  
 LANDSCAPE ARCHITECT:

# PROFORMER SERIES

|        |      |           |
|--------|------|-----------|
| Cat. # |      | Approvals |
| Job    | Type |           |


**SPAULDING LIGHTING**

### APPLICATIONS

- Provides maximum pole spacing with uniform lighting for any commercial application.

### SPECIFICATIONS

- Square, formed aluminum housing with embossed decorative band. Optional color vinyl trim stripe available.
- Formed aluminum door with round, clear, convex tempered glass lens, fully gasketed to housing, secured with hinge and two captive screws. Optional flat glass lens requires reduced envelope lamp.
- Specular, anodized aluminum, segmented reflectors for vertical lamp, provide Type III, IV, V square, or V rectangular light patterns. IESNA Full cutoff lighting classification achieved with flat lens. Tool-free fasteners allow easy access to ballast. Type V4 optics factory-rotatable in H40 and H1K wattage/source.
- Extruded aluminum arm required for pole mount. Spider mount has four twin-tube arms attaching housing to pole top fitter. Yoke mount has two square arms securing housing to pole top fitter.
- Mogul porcelain socket, pulse rated, with spring-loaded, nickel-plated center contact and reinforced lamp grip screw shell.
- CWA type ballast, HPF, starting rated at -20°F (-40°F for HPS).
- Durable Lektrocote® TGIC thermoset polyester powder coat paint finish assures long life and maintenance-free service.



|               | A      | B       | C       | D       | E      | EPA (arm)            | Weight (arm) |
|---------------|--------|---------|---------|---------|--------|----------------------|--------------|
| <b>PFM</b>    | 12"    | 21.125" | 37.25"  | 39.5"   | -      | 2.2 ft. <sup>2</sup> | 46 lbs       |
| <b>FLAT</b>   | 305 mm | 536 mm  | 946 mm  | 1003 mm | -      | 0.2 m <sup>2</sup>   | 20.8 kg      |
| <b>PFM</b>    | 12"    | 21.125" | 37.25"  | 39.5"   | 2.875" | 2.3 ft. <sup>2</sup> | 47 lbs       |
| <b>CONVEX</b> | 305 mm | 536 mm  | 946 mm  | 1003 mm | 73 mm  | 0.2 m <sup>2</sup>   | 21.3 kg      |
| <b>PFL</b>    | 16"    | 25"     | 45.5"   | 46"     | -      | 3.4 ft. <sup>2</sup> | 77 lbs       |
| <b>FLAT</b>   | 406 mm | 635 mm  | 1143 mm | 1168 mm | -      | 0.3 m <sup>2</sup>   | 34.9 kg      |
| <b>PFL</b>    | 16"    | 25"     | 45.5"   | 46"     | 4"     | 3.5 ft. <sup>2</sup> | 79 lbs       |
| <b>CONVEX</b> | 406 mm | 635 mm  | 1143 mm | 1168 mm | 102 mm | 0.3 m <sup>2</sup>   | 35.8 kg      |

NOTE: EPA and weight values do not include mounting arm  
 NOTE: Spider mount adds: PFM - 0.5 ft.<sup>2</sup> EPA (9 lbs.), PFL - 0.6 ft.<sup>2</sup> EPA (11 lbs.)  
 YOKE mount adds: PFM - 1.6 ft.<sup>2</sup> EPA (11 lbs.), PFL - 2.6 ft.<sup>2</sup> EPA (18 lbs.)

### LISTINGS/CERTIFICATIONS


- UL and CSA listed for wet locations.
- IESNA full cutoff classification when configured with flat lens.



Star View compliant

## ORDERING INFORMATION

### ORDERING EXAMPLE



### SERIES

|            |                             |
|------------|-----------------------------|
| <b>PFM</b> | Medium Proformer (175-400W) |
| <b>PFL</b> | Large Proformer (400-1000W) |

### MOUNTING

|            |  |
|------------|--|
| <b>A</b>   | Arm Mount (arm not included, order separately) |
| <b>S4</b>  | Spider Mount - Pad (4" square pole) PFM only   |
| <b>S5</b>  | Spider Mount - Pad (5" square pole)            |
| <b>S6</b>  | Spider Mount - Pad (6" square pole)            |
| <b>ST</b>  | Spider Mount (2.375" tenon)                    |
| <b>Y4A</b> | Yoke Mount - Pad (4" sq. alum. pole) PFM only  |
| <b>Y5A</b> | Yoke Mount - Pad (5" sq. alum. pole) PFM only  |
| <b>Y6A</b> | Yoke Mount - Pad (6" sq. alum. pole)           |
| <b>Y4S</b> | Yoke Mount - Pad (4" sq. steel pole) PFM only  |
| <b>Y5S</b> | Yoke Mount - Pad (5" sq. steel pole) PFM only  |
| <b>Y6S</b> | Yoke Mount - Pad (6" sq. steel pole)           |
| <b>YT</b>  | Yoke Mount (2.375" tenon)                      |

### WATTAGE/SOURCE

| METAL HALIDE             |                            |
|--------------------------|----------------------------|
| <b>H17</b>               | 175 watt (ED-28) PFM only  |
| <b>H25</b>               | 250 watt (ED-28) PFM only  |
| <b>H40<sup>1</sup></b>   | 400 watt (ED-37)           |
| <b>H1K<sup>1</sup></b>   | 1000 watt (BT-56) PFL only |
| SUPER METAL HALIDE       |                            |
| <b>MS17</b>              | 175 watt (ED-28) PFM only  |
| <b>MS25</b>              | 250 watt (ED-28) PFM only  |
| <b>MS40</b>              | 400 watt (ED-28) PFM only  |
| PULSE START METAL HALIDE |                            |
| <b>P25</b>               | 250 watt (ED-28) PFM only  |
| <b>P32<sup>1</sup></b>   | 320 watt (ED-37) PFM only  |
| <b>P35<sup>1</sup></b>   | 350 watt (ED-37) PFM only  |
| <b>P40<sup>1,2</sup></b> | 400 watt (ED-37) PFM only  |
| <b>P45</b>               | 450 watt (ED-37) PFL only  |
| <b>P75</b>               | 750 watt (BT-37) PFL only  |
| <b>P1K</b>               | 1000 watt (BT-37) PFL only |
| HIGH PRESSURE SODIUM     |                            |
| <b>S25</b>               | 250 watt (ED-18) PFM only  |
| <b>S40</b>               | 400 watt (ED-18) PFM only  |
| <b>S1K<sup>1</sup></b>   | 1000 watt (E-25) PFL only  |

### LAMP ORIENTATION/DISTRIBUTION

|                       |                                 |
|-----------------------|---------------------------------|
| <b>V3</b>             | Vertical III                    |
| <b>V4</b>             | Vertical IV                     |
| <b>V5<sup>2</sup></b> | Vertical V (square)             |
| <b>VT<sup>3</sup></b> | Vertical V (rectangle) PFL only |

### LENS

|          |        |
|----------|--------|
| <b>F</b> | Flat   |
| <b>C</b> | Convex |

### VOLTAGE

|                      |  |
|----------------------|--|
| <b>Q<sup>4</sup></b> | Quad-Tap <sup>5</sup> - 120/208/240/277V |
| <b>5</b>             | 480V                                     |
| <b>T<sup>6</sup></b> | Tri-Tap <sup>6</sup> - 120/277/347V CSA  |


### COLOR

|           |                              |
|-----------|------------------------------|
| <b>DB</b> | Dark Bronze                  |
| <b>BL</b> | Black                        |
| <b>WH</b> | White                        |
| <b>GR</b> | Gray                         |
| <b>PS</b> | Platinum Silver              |
| <b>RD</b> | Red (premium color)          |
| <b>FG</b> | Forest Green (premium color) |
| <b>CC</b> | Forest Green (premium color) |

- Reduced envelope lamp required with flat lens.
- ED-37 lamp required with 1000W HPS.
- PFL with convex lens only.
- Factory wired for highest voltage unless specified.
- Flat lens only.
- PFL uses standard sized lamp.


### OPTIONS

|                       |                              |
|-----------------------|------------------------------|
| <b>F1</b>             | Fusing - 120V                |
| <b>F2</b>             | Fusing - 208V                |
| <b>F3</b>             | Fusing - 240V                |
| <b>F4</b>             | Fusing - 277V                |
| <b>F5</b>             | Fusing - 480V                |
| <b>F6</b>             | Fusing - 347V                |
| <b>PR1</b>            | Photo Cell Receptacle - 120V |
| <b>PR2</b>            | Photo Cell Receptacle - 208V |
| <b>PR3</b>            | Photo Cell Receptacle - 240V |
| <b>PR4</b>            | Photo Cell Receptacle - 277V |
| <b>PR5</b>            | Photo Cell Receptacle - 480V |
| <b>PR6</b>            | Photo Cell Receptacle - 347V |
| <b>QZ</b>             | Quartz Restrike with lamp    |
| <b>HS<sup>7</sup></b> | Internal House Side Shield   |
| <b>VG</b>             | Polycarbonate Vandal Guard   |
| <b>RDB</b>            | Reveal (Dark Bronze)         |
| <b>RBL</b>            | Reveal (Black)               |
| <b>RWH</b>            | Reveal (White)               |
| <b>RGR</b>            | Reveal (Gray)                |
| <b>RPS</b>            | Reveal (Platinum Silver)     |
| <b>RRD</b>            | Reveal (Red)                 |
| <b>RFG</b>            | Reveal (Forest Green)        |
| <b>L</b>              | Lamp                         |



# ORDERING INFORMATION

## ORDERING EXAMPLE ARM



### SERIES

**ARM** Rigid Arm

### LUMINAIRE SHAPE

**S** Square

### ARM LENGTH

**6** 6" Arm (EPA=0.24 ft<sup>2</sup>, 3.5 lbs)  
(0.02 m<sup>2</sup>, 1.5 kg)

**12<sup>1</sup>** 12.5" Arm (EPA=0.5 ft<sup>2</sup>, 6.0 lbs)  
(0.04 m<sup>2</sup>, 2.7 kg)

### POLE SHAPE

**#1 DRILL PATTERN FOR POLE**

**S** Square

**R4** Round Straight (4.5")

**R5** Round Straight (5")

**R6** Round Straight (6")

**#2 DRILL PATTERN FOR POLE**

**T2** Round Tapered (2.5")

**T3** Round Tapered (3")

**T35** Round Tapered (3.5")

**T4** Round Tapered & Straight (4")

### COLOR

**DB** Dark Bronze

**BL** Black

**WH** White

**GR** Gray

**PS** Platinum Silver

**RD** Red (premium color)


**FG** Forest Green (premium color)

**CC** Custom Color (consult factory)

<sup>1</sup> Required for 90° configurations.

### WALL BRACKET

**WB-S-XX** Bracket only, arm not included nor required for fixture mounting. Replace **XX** with color designation.



Due to our continued efforts to improve our products, product specifications are subject to change without notice.



Spaulding Lighting • 101 Corporate Drive • Spartanburg, SC 29303 • PHONE: 864-599-6000  
For more information visit our web site: [www.spauldinglighting.com](http://www.spauldinglighting.com)