Memorandum Department of Planning

To: Planning and Public Works Committee

From: Isaak Simmers, Planner

Date: June 6, 2024



RE: FSP 60-2024 VERIZON (13703 Olive Blvd): A request for a new Facilities Siting Permit to install a new cell pole and accompanying infrastructure and a new power pole with transformer located in the City of Chesterfield right-of-way at the Dierbergs Meditation Park at the northwest intersection of Olive Boulevard and River Valley Drive (Ward 1).

Summary

Selective Site Consultants, Inc., on behalf of Verizon, has submitted a Facilities Siting Permit (FSP) application to furnish and install two (2) new 31'-9" tall 1'-2" diameter wood utility poles and accompanying infrastructure within an existing City of Chesterfield Right-of-Way at the Dierbergs Meditation Park at the northwest intersection of Olive Boulevard and River Valley Drive.

The plan has proposed a new pole furnished with Verizon telecommunication equipment, as well as an antenna. The pole will be set back 12.1' from the back of the curb to River Valley Drive and will be located in between two existing intersecting sidewalks. There is an additional proposed pole and transformer to be installed by Ameren, located southwest of the one to be installed by Verizon. The two poles will be connected via a 2" underground conduit running almost parallel to the existing sidewalk.

Staff Analysis

Section 405.060 of the City Code contains requirements for wireless communication facilities. Staff review of the submittal materials has found them to be complete and the code requires review and recommendation by the Planning and Public Works Committee to be forwarded to City Council for final approval.

The proposed facility is 35' in height and complies with the height requirements for facilities located within the right-of-way. Additionally, the height is consistent with other similar facilities that have been approved by the City of Chesterfield for small cell facilities within the right-of-way.

City Code also requires that, "No new wireless facility shall be constructed within a distance greater than or equal to one hundred ten percent (110%) of the height of the wireless facility structure in relation to the nearest structure designed for occupancy. Per City Code, new installations must be a minimum of 500' from existing facilities. City Council has approved two installations in the vicinity; however, both

facilties. City Council has approved two installations in the vicinity; however, both locations are compliant with the spacing requirement." The proposed installation complies with this requirement aswell.

No landscaping has been proposed. Per City Code, landscaping is not permitted in street right-of-way, and if any existing landscape is damaged or removed during construction, it will be repaired and/or replaced in kind by the applicant. The applicant has included a traffic control plan for River Valley Drive, indicating the location of traffic signs and cones during construction in compliance with Missouri Traffic Control Standards. The plan has indicated the contractor will close the sidewalk as necessary and has shown the location of the closure on the Traffic Control Plan.

Recommendation

Staff has reviewed the proposed wireless facilty. The submittal complies with all requirements in Article 6 of the Unified Development Code and is to be reviewed by the Planning and Public Works Committee.



Figure 1: Subject Site

SITE NAME: STLC CHF FS 03SC

MDG LOCATION #: 5000889198

verizon

FILE NAME: STLC CHF FS 03SC - Rev 2 - 042424

SITE ADDRESS: 13703 OLIVE BLVD CHESTERFIELD, MISSOURI

POLE DESCRIPTION: 31'-9" TALL 1'-2" DIAMETER WOOD UTILITY POLE SMALL CELL

SITE INFORMATION	AREA MAP	APPLICABLE CODES	DRAWING	3
<u>1A INFORMATION:</u> LAT(NAD83): 38° 40' 50.52" n LONG(NAD83): 90° 30' 19.55" w <u>E911</u> : 13703 OLIVE BLVD		ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES.	SHEET NO SHEET TTI T-1 TTTLE SHEET GN-1.0 GENERAL NOTES (1 OF 2) GN-1.1 GENERAL NOTES (2 OF 2) SURVEY (BY OTHERS)	
CHESTERFIELD, MO COUNTY: ST. LOUIS EQUIPMENT & POWER INFO: SERVICE ADDRESS: 13703 OLIVE BLVD CHESTERFIELD, MO 63017 TRANSFORMER #: TBD POWER PROVIDER: AMEREN VOLTAGE: TO MATCH EXISTING FIXTURE WATTAGE: TO MATCH EXISTING	LOCATION MAP	 INTERNATIONAL BUILDING CODE INTERNATIONAL MECHANICAL CODE ANSI/TIA-222 STRUCTURAL STANDARD NFPA 780 - LIGHTNING PROTECTION CODE UNIFORM PLUMBING CODE NATIONAL ELECTRICAL CODE NATIONAL ELECTRICAL CODE MATIONAL ELECTRIC SAFETY CODE (NESC) AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO), STANDARD SPECIFICATION FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES AND TRAFFIC SIGNALS, 6TH EDITION AMERICAN PUBLIC WORKS ASSOCIATION (APWA) AND ANY SUPPLEMENT CHANGES. AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI), A117.1 ACCESSIBLE AND USABLE BUILDING AND FACILITIES STANDARD OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA) OF 1970 NATIONAL FIRE PROTECTION ASSOCIATION (NFFA) 70E, STANDARD FOR 	A-1.0 SITE PLAN A-2.0 POLE ELEVATION A-3.0 EQUIPMENT DETAILS (1 OF 2) A-3.1 EQUIPMENT DETAILS (2 OF 2) A-4.0 CABLE DIAGRAM & DETAILS A-5.0 FOUNDATION DETAILS TCP TRAFFIC CONTROL PLAN Constraints Constraints G-1.0 GROUNDING RISER DIAGRAM	
CONSULTING TEAM		ELECTRICAL SAFETY IN THE WORKPLACE (LATEST EDITION)		
Soc, NC. 7171 WEST 95TH STREET, SUITE 600 OVERLAND PARK, KANSAS 66212 PHONE: (913) 438-7700 FAX: (913) 438-7777 <u>LESSOR:</u> VERIZON WIRELESS		DRAWING NOTICE 11"X17" PLOT WILL BE HALF SCALE UNLESS OTHERWISE NOTED THESE SITE PLANS ADHERE TO ALL OF THE REQUIREMENTS CALLED OUT IN THE JURISDICTION PLANNING AND ZONING FOR ANTENNAS AND SUPPORT STRUCTURES WHERE SITE IS LOCATED	 PROJECT DESCRIPTION <u>VZW CONTRACTOR</u>: FURNISH AND INSTALL NEW POLE WITHIN AN EXISTING RIGHT-OF-WAY. INSTALL TELECOM EQUIPMENT ON 	
IOT40 NALL AVE SUITE 400 OVERLAND PARK, KANSAS 66211 PHONE: (913) 438-7700 FAX: (913) 438-7777 IURISDICTION: CITY OF CHESTERFIELD, 500 CHESTERFIELD PKWY W		CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS / CONDITIONS ON SITE, IMMEDIATELY NOTIFY ENGINEER OF ANY DISCREPANCIES PRIOR TO PERFORMING ANY WORK OR BE RESPONSIBLE FOR THE SAME. ALL TELECOM WORK TO BE COMPLETED BY CONTRACTOR EXPERIENCED WITH VERIZON, INSTALLATION AND CLOSEOUT PROCEDURES.	 INSTALL TELECOM ANTENNA ON NEW POLE INSTALL NEW POWER SERVICE INSTALL NEW VZW DARK FIBER SERVICE 	
CHESTERFIELD, MISSOURI 63017				

Docusioner CONAT Stutton Fusion EF94D8A5B80B407	NG * B	KMV KEVIN M. VANMAELE 21561 CI REJ ROBERT E. JENSEN 28974 CI SMK SHELTON D. KEISLING E-27323 TMS TERRANCE M. SUPER E-18521 EL	SCIPLINE: VIL C ECTRICAL E ECTRICAL E
WING INDEX		verizo	onv ∣
EET TITLE	ENGINEER		
/1	C/E	PLANS PREPARED BY:	Street, Suite 600
4	C/E		rk, Kansas 66212
	C/E		ne: 913-438-7700
		SSC	ax: 913-438-7777
<u>_</u> }		330	
	С		
Â	С		
F 2) F 2)	C C		
ILS	С		
	C	DRAWING NOTICE:	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	THIS DRAWING NOTICE. THIS DRAWING HAS NOT BEEN PUBLISHE PROPERTY OF SSC, INC. AND IS LENT TO	
	C	THEIR CONFIDENTIAL USE ONLY, AND IN THE LOAN OF THIS DRAWING, THE BORRO	CONSIDERATION OF
	E	AGREES TO RETURN IT UPON REQUEST A WILL NOT BE REPRODUCED, COPIED, LE	ND AGREES THAT IT
RAM	E	DISPOSED OF DIRECTLY OR INDIRECTLY, PURPOSE OTHER THAN FOR WHICH I	NOR USED FOR ANY
	E	SUBMITTALS: DESCRIPTION	DATE BY REV
			01/20/22 CZW A
			10/13/22 CJO B
			10/18/23 ABT C
			12/18/23 DSL 0 03/14/24 ABT 1
			04/24/24 DSL 2
		SITE NAME:	
N QR C	ODE	STLC CHF FS 0	3SC
		MDG LOCATION #: 5000889198 SITE ADDRESS: 13703 OLIVE BJ	
	5 (S	CHESTERFIELD, M 63017	
		SHEET DESCRIPTION:	-sheet #:

#### **GENERAL NOTES:**

- SPECIAL NOTES:
- A. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SURVEY MONUMENT AND/OR VERTICAL CONTROL BENCHMARKS WHICH ARE DISTURBED OR DESTROYED BY CONSTRUCTION. A LAND SURVEYOR MUST FIELD LOCATE, REFERENCE, AND/OR PRESERVE ALL HISTORICAL OR CONTROLLING MONUMENTS BY A LAND SURVEYOR. A CORNER RECORD OR RECORD OF SURVEY, AS APPROPRIATE, SHALL BE FILED AS REQUIRED BY THE PROFESSIONAL LAND SURVEYORS ACT.
- B. IMPORTANT NOTICE: CALL UNDERGROUND SERVICE ALERT, TOLL FREE 1-800-344-7233, THREE DAYS BEFORE YOU DIG. THE CONTRACTOR SHALL OBTAIN LOCATES FOR STREETLIGHTING, TRAFFIC SIGNAL AND FIBER OPTIC CONDUITS/CABLES.
- C. CONTRACTOR SHALL BE RESPONSIBLE FOR THE POT HOLE AND LOCATING OF ALL EXISTING UTILITIES THAT CROSS THE PROPOSED TRENCH LINE AND MUST MAINTAIN A 1' MINIMUM VERTICAL CLEARANCE.
- D. IF ANY EXISTING HARDSCAPE OR LANDSCAPE INDICATED ON THE APPROVED PLANS IS DAMAGED OR REMOVED DURING DEMOLITION OR CONSTRUCTION, IT SHALL BE REPAIRED AND/OR REPLACED IN KIND PER THE APPROVED PLANS.
- E. CONTRACTOR SHALL REPLACE OR REPAIR ALL CITY INFRASTRUCTURE DAMAGED DURING CONSTRUCTION.
- F. THIS PROJECT WILL BE INSPECTED BY ENGINEERING AND FIELD ENGINEERING DIVISION.
- G. MANHOLES OR COVERS SHALL BE LABELED SSC, EXCEPT FOR MANHOLES OR COVERS PLACED ON BEHALF OF THE MUNICIPALITY FOR THEIR EQUIPMENT.
- H. CONTRACTOR SHALL IMPLEMENT AN EROSION CONTROL PROGRAM DURING THE PROJECT CONSTRUCTION ACTIVITIES. THE PROGRAM SHALL MEET THE APPLICABLE REQUIREMENTS OF THE STATE WATER RESOURCE CONTROL BOARD.
- 1. THE CONTRACTOR SHALL HAVE EMERGENCY MATERIALS AND EQUIPMENT ON HAND FOR UNFORESEEN SITUATIONS, SUCH AS DAMAGE TO UNDERGROUND WATER, SEWER, AND STORM DRAIN FACILITIES WHEREBY FLOWS MAY GENERATE EROSION AND SEDIMENT POLLUTION

- A. INDEMNIFICATION CLAUSE: THE CONTRACTOR AGREES AND SHALL: ASSUME SOLE AND COMPLETE RESPONSIBILITY OF THE JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THIS PROJECT, INCLUDING THE SAFETY OF ALL PERSONS AND PROPERTIES. THAT THESE REQUIREMENTS SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS AND CONDITIONS. THE CONTRACTOR FURTHER AGREES TO DEFEND INDEMNITY AND HOLD SSC, REPRESENTATIVES, AND ENGINEERS HARMLESS FROM ANY AND ALL LIABILITY, REAL OR ALLEGED IN CONNECTION WITH THE PERFORMANCE OF THE WORK ON THIS PROJECT.
- B. ALL WORK SHALL CONFORM TO THE LATEST STANDARD "SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION" AS ADOPTED BY THE CITY, COUNTY OR STATE AS MODIFIED BY STANDARD PLANS AND ADDENDUMS
- C. THE EXISTENCE AND LOCATION OF UTILITIES AND OTHER AGENCY'S FACILITIES AS SHOWN HERON ARE OBTAINED BY A SEARCH OF AVAILABLE RECORDS. OTHER FACILITIES MAY EXIST. THE CONTRACTORS SHALL VERIFY PRIOR TO THE START OF CONSTRUCTION AND SHALL USE EXTREME CARE AND PROTECTIVE MEASURES TO PREVENT DAMAGE TO THESE FACILITIES. THE CONTRACTOR IS RESPONSIBLY FOR THE PROTECTION ALL UTILITY OF AGENCY FACILITIES WITHIN THE LIMITS OF WORK, WHETHER THEY ARE SHOWN ON THIS PLAN OR NOT.
- D. THE CONTRACTOR SHALL NOTIFY THE CITY, COUNTY OR STATE ENGINEER INSPECTION DEPARTMENT, AT LEAST TWO TWO DAYS BEFORE START OF ANY WORK REQUIRING THEIR INVOLVEMENT.
- E. THE CITY, COUNTY OR STATE SHALL SPECIFY THE EXPIRATION PERIOD OF THE PERMIT FOR THIS CONSTRUCTION PROJECT.
- F. THE MINIMUM COVER FOR ALL CONDUITS PLACED UNDERGROUND SHALL BE 36 INCHES TO THE FINISHED GRADE AT ALL TIMES.
- G. THE CONTRACTOR SHALL TUNNEL ALL CURB AND GUTTER AND BORE ALL CONCRETE DRIVEWAYS AND WALKWAYS AT THE DIRECTION OF THE CITY, COUNTY OR STATE ENGINEER
- H. ALL A.C AND/OR CONCRETE PAVEMENT SHALL BE REPLACED AT THE DIRECTION OF THE CITY, COUNTY STATE ENGINEERS
- I. ALL SHRUBS, PLANTS OR TREES THAT HAVE BEEN DAMAGED OR DISTURBED DURING THE COURSE OF THE WORK, SHALL BE REPLANTED AND/OR REPLACED SO AS TO RESTORE THE WORK SITE TO ITS ORIGINAL CONDITION.
- J. THE CONTRACTOR WILL BE RESPONSIBLY FOR THE PROCESSING OF ALL APPLICANT PERMIT FORMS ALONG WITH THE REQUIRED LIABILITY INSURANCE FORMS. CLEARLY DEMONSTRATING THE SSC, THE CITY, COUNTY OR STATE IS ALSO INSURED WITH THE REQUIRED LIABILITY INSURANCE FOR THIS CONSTRUCTION PROJECT.
- K. VAULTS, PEDESTALS, CONDUITS AN OTHER TYPES OF SUBSTRUCTURE ARE EITHER SPECIFIED ON THIS PLAN OR WILL BE SPECIFIED BY THE CONSTRUCTION ENGINEER. ANY AND ALL DEVIATIONS FROM THE SPECIFIED TYPES OF MATERIAL MUST BE APPROVED BY THE SYSTEM ENGINEER, IN WRITING BEFORE INSTALLATION THEREOF. ANY EQUIPMENT OR MATERIALS PLACED ON BEHALF OF THE GOVERNING MUNICIPALITY (STREET LIGHT MATERIALS FOR EXAMPLE) WILL BE SAID MUNICIPALITY'S APPROVED MATERIALS LIST.
- L. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES IN INCLUDING SEWER LATERALS & WATER SERVICES TO INDIVIDUAL LOTS BOTH VERTICAL AND HORIZONTAL PRIOR TO COMMENCING IMPROVEMENT OPERATIONS.
- M. CONTRACTOR SHALL MAKE EXPLORATION EXCAVATIONS AND LOCATE EXISTING FACILITIES SUFFICIENTLY AHEAD OF CONSTRUCTION TO PERMIT REVISIONS TO PLANS IF REVISION IS NECESSARY BECAUSE OF LOCATION OF EXISTING UTILITIES.
- N. THE LOCATIONS OF ALL EXISTING UTILITIES SHOWN ON THESE PLANS ARE FROM EXISTING RECORDS AND CORROBORATED, WHERE POSSIBLE, WITH FIELD TIES. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING THE LOCATIONS SHOWN, BOTH HORIZONTAL AND VERTICALLY. PRIOR TO CONSTRUCTION, IF EXISTING LOCATION VARY SUBSTANTIALLY FROM THE PLANS. THE ENGINEER SHOULD BE NOTIFIED TO MAKE ANY CONSTRUCTION CHANGES REQUIRED.

#### EROSION AND SEDIMENT CONTROL N

TEMPORARY EROSION/SEDIMENT CONTROL PRIOR IMPROVEMENTS, SHALL BE PERFORMED BY THE AS INDICATED BELOW:

- A. ALL REQUIREMENTS OF THE CITY, COUNTY AND MUST BE INCORPORATED INTO THE DESIGN AND GRADING/IMPROVMENTS CONSISTENT WITH THE / PREVENTION PLAN (SWPPP), WATER QUALITY TEU WATER POLLUTION CONTROL PLAN (WPCP).
- B. FOR STORM DRAIN INLETS, PROVIDE AS GRAVEL UPSTREAM INLET AS INDICATED ON DETAILS.
- C. FOR INLETS LOCATED AT SUMPS ADJACENT TO SHALL ENSURE WATER DRAINING TO THE SUMP THAT A MINIMUM OF 1.00' FREEBOARD EXISTS OF THE INLET. IF FREEBOARD IS NOT PROVIDE PLANS THE CONTRACTOR SHALL PROVIDE IT VIA BAGS OF DIKES
- D. THE CONTRACTOR OR QUALIFIED PERSON SHALL SILT AND MUD ON ADJACENT STREET(S) AND S CONSTRUCTION ACTIVITY.
- E. THE CONTRACTOR OR QUALIFIED PERSON SHALL AND UNLINED DITCHES AFTER EACH RAINFALL
- F. THE CONTRACTOR SHALL REMOVE SILT AND DE
- G. EQUIPMENT AND WORKERS FOR EMERGENCY WO ALL TIMES DURING THE RAINY SEASON. ALL NE STOCKPILED ON SITE CONVENIENT LOCATIONS T TEMPORARY DEVICES WHEN RAIN IS IMMINENT.
- H. THE CONTRACTOR SHALL RESTORE ALL EROSION WORKING ORDER TO THE SATISFACTION OF THE ENGINEER AFTER EACH RUN-OFF PRODUCING R
- I. THE CONTRACTOR SHALL INSTALL ADDITIONAL EI AS MAY BE REQUIRED BY THE RESIDENT ENGIN OPERATIONS OR UNFORESEEN CIRCUMSTANCES,
- J. THE CONTRACTOR SHALL BE RESPONSIBLE AND PRECAUTIONS TO PREVENT PUBLIC TRESPASS OF WATERS CREATE A HAZARDOUS CONDITION.
- K. ALL EROSION/SEDIMENT CONTROL MEASURES PP PLAN SHALL INCORPORATED HERON. ALL EROSIC CONDITION SHALL BE DONE TO THE SATISFACTION
- L. GRADED AREAS AROUND THE PROJECT PERIMETE FACE OF THE SLOPE AT THE CONCLUSION OF E
- M. ALL REMOVABLE PROTECTIVE DEVICES SHOWN S EACH WORKING DAY WHEN RAIN IMMINENT
- N. THE CONTRACTOR SHALL ONLY GRADE, INCLUDII AREAS FOR WHICH THE CONTRACTOR OR QUALI EROSION/SEDIMENT CONTROL MEASURES.

	STAMP:
SILES SILES SOLUTION SHELTON KEISLING NUMBER PE-27323 Docusioned: ONAL F. NO.	KEVIN VANMAELE NUMBER PE-021561
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ENGINEERING LICENSE:
NOTES:	STATE CERTIFICATE OF AUTHORIZATION # EF-2791 ENGINEER: PE#: DISCIPLINE: KMV KEVIN M VANNAELE 21561 CIVIL C REJ ROBERT E. JENSEN 28974 CIVIL C SDK SHELTON D. KEISLING E-27323 ELECTRICAL E TMS TERRANCE M. SUPER E-18521 ELECTRICAL E
ND STATE "STORM WATER STANDARDS" ND CONSTRUCTION OF THE PROPOSED E APPROVED STORM WATER POLLUTION TECHNICAL REPORT (WQTR), AND/OR	
EL BAG SILT BASIN IMMEDIATELY	
O TOP OF SLOPES. THE CONTRACTOR AP IS DIRECTED INTO THE INLET AND S AND IS MAINTAINED ABOVE THE TOP DED BY GRADING SHOWN ON THESE VIA TEMPORARY MEASURES, I.E. GRAVEL	Verizon
ALL BE RESPONSIBLY FOR CLEANUP OF STORM DRAIN SYSTEM DUE TO	PLANS PREPARED BY: 7171 West 95th Street, Suite 600 Overland Park, Kansas 66212 Phone: 913-438-7700
ALL CHECK AND MAINTAIN ALL LINED	Fax: 913-438-7777
DEBRIS AFTER EACH MAJOR RAINFALL.	550
WORK SHALL BE MADE AVAILABLE AT NECESSARY MATERIALS SHALL BE TO FACILITATE RAPID CONSTRUCTION OF T.	
ION/SEDIMENT CONTROL DEVICES TO HE CITY ENGINEER OF RESIDENT RAINFALL.	DRAWING NOTICE: THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF SSC, INC. AND IS LENT TO THE BORROWER FOR THEIR CONFIDENTIAL USE ONLY, AND IN CONSIDERATION OF
EROSION/SEDIMENT CONTROL MEASURES GINEER DUE TO UNCOMPLETED GRADING S, WHICH MAY ARISE	THE LOAN OF THIS DRAWING, THE BORROWER PROMISES AND AGREES TO RETURN IT UPON REQUEST AND AGREES THAT IT WILL NOT BE REPRODUCEST AND AGREES THAT IT UNL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED.
ND SHALL TAKE THE NECESSARY ONTO AREAS WHERE IMPOUNDED	SUBMITTALS: DESCRIPTION DATE BY REV ISSUED FOR REVIEW 01/20/22 CZW A
PROVIDED PER THE APPROVED GRADING SION.SEDIMENT CONTROL FOR INTERIM TION OF THE RESIDENT ENGINEER.	REISSUED FOR REVIEW 10/13/22 CJO B REISSUED FOR REVIEW 10/18/23 ABT C ISSUED FOR CONSTRUCTION 12/18/23 DSL 0
ETER MUST DRAIN AWAY FROM THE	REISSUED PER CLIENT COMMENTS 03/14/24 ABT 1 REVISED PER POWER COORD 04/24/24 DSL 2
SHALL BE IN PLACE AT THE END OF	SITE NAME: STLC CHF FS 03SC
DING CLEARING AND GRUBBING FOR THE	MDG LOCATION #:
	5000889198
	SITE ADDRESS: 13703 OLIVE BLVD CHESTERFIELD, MISSOURI 63017
	GENERAL NOTES (1 OF 2)

ROW GROUND CONSTRUCTION NOTES:

- A. 120/240V OR 120/208V POWER REQUIRED FOR 1-PHASE, 3-WIRE SERVICE.
- B. GC TO REMOVE/CLEAN ALL DEBRIS, NAILS, STAPLES OR NON-USED VERTICALS OFF THE POLE
- C. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH MUNICIPAL, COUNTY, STATE, AND FEDERAL STANDARDS AND REGULATIONS.
- D. CALL DIG SAFE USA 72 HOURS PRIOR TO EXCAVATING AT (800) 344-7233.
- E. ALL LANDSCAPING TO BE RESTORED TO ORIGINAL CONDITION OR BETTER
- F. ALL EQUIPMENT TO BE BONDED
- G. METERING CABINET REQUIRES 3' CLEARANCE AT DOOR OPENING.
- H. CAULK CABINET BASE AT PAD

STANDARD GROUNDING NOTES:

- A. GROUND TESTED AT 5 OHMS OR LESS
- B. 5/8"ø X 10'-0" ROD, EXOTHERMIC CONNECTION BELOW GRADE
- C. #6 WIRE. FOR GROUNDING AND BONDING
- D. WOOD MOLDING, STAPLED EVERY 3' AND AT EACH END
- E. GROUND RODS 3' FROM POLE.

STANDARD CONDUIT NOTES:


- A. FOR UNDERGROUND USE SCHEDULE 40 CONDUIT.
- B. FOR RISERS USE SCHEDULE 80 CONDUIT.
- C. PLACE 2" GALVANIZED STEEL CONDUIT FOR ANY CONDUIT UNDER 3".
- D. CONVERT 4" CARRIER CONDUIT TO 3" AT BASE OF POLE.
- E. GC TO STUB UP POLE 10' W/3" POWER CONDUIT, POWER CO. TO CONVERT FROM 3" SCH. 80 TO 2" SCH. 80 FROM TOP OF STUB UP.
- F. ALL CONDUIT SHALL BE MANDREL TESTED AND EQUIPPED WITH 3/8" PULL ROPE.

STANDARD CONDUIT NOTES:


- A. SAND BEDDING MINIMUM 1" UNDER CONDUITS, AND 6" SANDSHADING ON TOP REQUIRED.
- B. ALL TRENCHED ELECTRICAL SERVICE CONDUITS FROM POWER COMPANY, WHETHER FROM POLES, TRANSFORMERS, OR OTHER LOCATIONS; WILL BE SLURRY BACKFILLED
- C. IN STREET SLURRY TO GRADE AND MILL DOWN 1-1/2" FOR AC CAP.
- F. IN DIRT SLURRY 18" FROM GRADE, AND FILL WITH 95% COMPACTION NATIVE SOIL FOR BALANCE.
- G. PLACE WARNING TAPE IN TRENCH 12" ABOVE ALL CONDUITS AND #18 WARNING TAPE ABOVE GROUND RING

ROW GROUND CONSTRUCTION NOTES:


- A. NO BOLT THREADS TO PROTRUDE MORE THAN 1-1/2".
- B. FILL ALL HOLES LEFT IN POLE FROM REARRANGEMENT OF CLIMB STEPS.
- C. ALL CLIMB STEPS NEXT TO CONDUITS SHALL HAVE EXTENDED STEPS.
- D. CABLE NOT TO IMPEDE 15" CLEAR SPACE OFF POLE FACE (12:00)
- E. 90° SHORT SWEEPS UNDER ANTENNA ARM. ALL CABLES MUST ONLY TRANSITION ON THE INSIDE OR BOTTOM OF ARMS (NO CABLE ON TOP OF ARMS).
- F. USE CABLE CLAMPS TO SECURE CABLE TO ARMS; PLACE 2" CARRIER CABLE ID TAGS ON BOTH SIDES OF ARMS.
- G. USE 90° CONNECTOR AT CABLE CONNECTION TO ANTENNAS.
- H. PLACE GPS ANTENNA ON ARM WITH SOUTHERN SKY EXPOSURE AT MINIMUM 6' FROM TRANSMIT ANTENNA, WHICH IS 24" AWAY FROM CENTER OF POLE.
- I. USE 1/2" CABLE ON ANTENNAS UNLESS OTHERWISE SPECIFIED.
- J. FILL VOID AROUND CABLES AT CONDUIT OPENING WITH FOAM SEALANT TO PREVENT WATER INTRUSION









Ground Elevation = 567.2ft







DocuSign Envelope ID: 706BAA38-14C3-421E-A67D-76810588AF6F

SERVICE INFO


ANTENNA SUMMARY


Added														
00	850	1900	AWS	AWS3	Make	Model	Centerline	Tip Height	Azimuth	RET	4xRx	Inst. Type	Quantity	Item ID
TE	LTE 5G	LTE	LTE	LTE	AMPHENOL	2C2UT360X06F0YS0 T00-750-(+45)-R1	- 37	38	0(0003) 0(03)	false	false	PHYSICAL	1	
temov	d													
00	850	1900	AWS	AWS3	Make	Model	Centerline	Tip Height	Azimuth	RET	4xRx	Inst. Type	Quantity	Item ID
									No data available.					
Retaine	d													
700	850	1900	AWS	AWS3	Make	Model	Centerline	Tip Height	Azimuth	RET	4xRx	Inst. Type	Quantity	Item ID
									No data available.					

EQUIPMENT SUMMARY

Added													
Equipment Type	Location	700	850	1900	AWS	AWS3	Make	Model	Cable Length	Cable Size	Install Type	Quantity	Item ID
Coaxial Cables	Tower						1/2" coax	1/2" coax	40	1/2	PHYSICAL	8	
RRU	Tower	LTE	LTE 5G				Ericsson	4449			PHYSICAL	1	KRC161749/1
RRU	Tower			LTE	LTE	LTE	Ericsson	8843			PHYSICAL	1	KRC161707/2
Diplexer	Tower						KAELUS	DBC-0129F1V1-1			PHYSICAL	1	
Removed													
Equipment Type	Location	700	850	1900	AWS	AWS3	Make	Model	Cable Length	Cable Size	Install Type	Quantity	Item ID
								No da	ta available.				
Retained													
Equipment Type	Location	700	850	1900	AWS	AWS3	Make	Model	Cable Length	Cable Size	Install Type	Quantity	Item ID
								No da	ta available.				

WS3 LTE			CAND
Sector		03	
Azimuth		0	
Cell / ENode B ID			
Antenna Model	2C2UT360)	(06FX0S0-T0 0-2100-	
		(+45)-Y1	
Antenna Make	4	MPHENOL	
Antenna Centerline(Ft)		37	
Mechanical Down-Tilt(Deg.)		0	
Electrical Down-Tilt		0	
Tip Height		38	
Regulatory Power		39.43	
DLEARFCN		66911	
Channel Bandwidth(MHz)		5	
Total ERP (W)		108.16	
TMA Make			
TMA Model			
RRU Make		Ericsson	
RRU Model		8843	
Number of Tx, Rx Lines		4,4	
Position			
Transmitter Id		11784582	
Source		ATOLL_API	
			CAND
00 MHz LTE Sector		03	CAND
Sector		03	CAND
Sector		03 0	CAND
Sector Azimuth Cell / ENode B ID	2011360301	0	CAND
Sector	2С201360X0/	0 5F0YS0-T0 0-750-(+45)-	CAND
Sector Azimuth Cell / ENode B ID Antenna Model		0 5F0YS0-T0 0-750-(+45)- R1	CAND
Sector Azimuth Cell / ENode B ID Antenna Model Antenna Make		0 5F0YS0-T0 0-750-(+45)- R1 AMPHENOL	CAND
Sector Azimuth Cell / ENde B ID Antenna Model Antenna Made Antenna Centerline(Ft)		0 5F0YS0-T0 0-750-(+45)- R1 AMPHENOL 37	CAND
Sector Azimuth Cell / ENdoe B ID Antenna Model Antenna Make Antenna Centerline(FI) Mechanical Down-Tit(Deg.)		0 5FOYSO-T0 0-750-{+45}- R1 AMPHENOL 37 0	CAND
Sector Azimuth Cell / ENde B ID Antenna Model Antenna Make Antenna Centerline(FU) Mechanical Down-Till(Dog.) Electrical Down-Till		0 5F0YS0-T0 0-750-(+45)- R1 AMPHENOL 37 0 0	CAND
Sector Azimuth Cell / ENode B ID Antenna Model Antenna Make Antenna Centerfine(FU) Mechanical Down-Till(Deg.) Electrical Down-Till Tip Height		0 5F0Y50-T0 0-750-(+45)- R1 AMPHENOL 37 0 0 38	CAND
Sector Azimuth Cell / ENde B ID Antenna Model Antenna Make Antenna Centerline(FU) Mechanical Down-Till(Dog.) Electrical Down-Till		0 5F0YS0-T0 0-750-(+45)- R1 MPHENOL 37 0 0 38 3.37	CAND
Sector Azimuth Cell / ENode B ID Antenna Madel Antenna Centerfins(FD) Mechanical Down-Till (Dey) Electrical Down-Till Tip Height Regulatory Power DLEARFCM		0 5F0YS0-T0 0-750-(+45)- R1 MPHENOL 37 0 0 38 3.37 5230	CAND
Sector Azimuth Cell / Extode BD Antenen Model Antenen Model Mechanical Constraint Bechanical Constraint Electrical Down Till Regulatory Power DLEARFCD OLEARFCD		0 5F0YSO-T0 0-750-(+45)- R1 MPHENOL 37 0 0 38 3.37 5230 10	CAND
Sector Adamuth Cell / Evices BD Antanam Model Antanam Model Antana Centerina Make Antana Centerina (Fin) Bechanical Down-Titt Becharical Down-Titt Becharical Down-Titt Becharical Down-Titt Becharical Down-Titte Becharical Down-Titte Dickare(Content) Dickare(Content) Dickare(Content) Total ERP (W)		0 5F0YS0-T0 0-750-(+45)- R1 MPHENOL 37 0 0 38 3.37 5230	CAND
Sector Antimuth Cell / Elvede III O Anterna Model Anterna Kole Anterna Centerine(FI) Mechanical Own 70(Dough Mechanical Own 70(Dough Mechanical Own 70(Dough The Method The Method Power DLEARCH Channel Bandwich(Mith) The Make		0 5F0YSO-T0 0-750-(+45)- R1 MPHENOL 37 0 0 38 3.37 5230 10	CAND
Sector Azimuth Cell / Evides BD Antanam Model Antana Canterna Make Antana Canterland (F1) Mechanical Down-Tittles) Electrical Down-Tittles) Electrical Down-Tittles Regulatory Fower DLEANFCD Channel Bandwicht(Bitt) Channel Bandwicht(Bitt) THA Make TMA Model		0 5F0Y50-0750-(+45)- R1 MPHENOL 37 0 3 3.37 5230 10 30.34	CAND
Sector Adamsh Cell / Evice Bi Antenna Model Antenna Model Antenna Centerins Mice Electrical Down-Tittles) Electrical Down-Tittles Electrical Down-Tittle Regulatory Power OLEARFCN Channel Bandwicht(Mich) Telal ERP (M) Table Barb Barby Make Riftly Make		0 5F0Y50-0-750-(+45)- R1 MMPHENOL 37 0 3.37 5230 10 30.34 Ericsson	CAND
Sector Antimuth Cell / Erkole Bi Antimuth Antimum Model Antenna Centerlandfi Belgehorg Power Belgehorg Power Channel BandwichthMMO Channel BandwichthMMO Thail Rey Woold Rey Woold Rey Woold Rey Woold		0 5FOYSO-10-750-(+45)- R1 MMPHENOL 37 0 38 3.37 5230 10 30.34 Ericsson 4449	CAND
Sector Admuth Cell / Evices IID Antanam Model Antanam Model Antanam Centerline(F1) Mechanical Down-Titt Belactrical Down-Titt Regulation To Height Regulation Channel Bankwith(MHS) Total ERP (W) TMA Model TMA Model Regulation TMA Model Regulation TMA Model Regulation TMA Model Regulation TMA Model Regulation Regulation TMA Model Regulation		0 5F0Y50-0-750-(+45)- R1 MMPHENOL 37 0 3.37 5230 10 30.34 Ericsson	CAND
Sector Antenuth Cell / Exide III Antenum Model Antenum Model Antenum Model Antenum Centerlino(F1) Bechnickl Down-TRID(be) Bechnick Down-TRID(be) To Felght Regulatory Power OLCARPCM Channel Bandwicht(Mith) The Model RRU Mode RRU Mode RRU Mode RRU Mode RRU Mode RRU Mode RRU Mode Participation Power Participation Participation Channel Bandwicht(Mith) Thi Model RRU Mode RRU Mode RRU Mode Participation Channel Bandwicht(State) RRU Mode RRU Mode Participation Channel Bandwicht(State) RRU Mode Participation Channel Change RRU Mode RRU Participation RRU Mode RRU		0 5FOYSO-10 -0750-(+45)- R1 MMPHENOL 37 0 98 3.37 5230 10 30.34 Ericsson 4449 4,4	CAND
Sector Admuth Cell / Evices IID Antanam Model Antanam Model Antanam Centerline(F1) Mechanical Down-Titt Belactrical Down-Titt Regulation To Height Regulation Channel Bankwith(MHS) Total ERP (W) TMA Model TMA Model Regulation TMA Model Regulation TMA Model Regulation TMA Model Regulation TMA Model Regulation Regulation TMA Model Regulation		0 5FOYSO-10-750-(+45)- R1 MMPHENOL 37 0 38 3.37 5230 10 30.34 Ericsson 4449	CAND







ANTENNA KEY & EQUIPMENT SUMMARY


_	STAMP:			
		15/20)24	
	OF MIC	Im		
	AN OT ANS	500	2	
	Est	X	8	
	HS KEVIN	× ×	-YA	
			*B	
	NUMBER		ZB	
	PE-021561		-B	
		ļ\$	B	
	Vale Co		<i>₹</i>	
	DocuSiguer DyONAL	S		
	and the second	5		
	Keven Vant laile			
	ENGINEERING LICENSE:			=
	STATE OF MISSOURI	# 55 0704		
	STATE CERTIFICATE OF AUTHORIZATION ENGINEER: PE#: [# EF-2791 DISCIPLINE:		
	KMV KEVIN M. VANMAELE 21561 (REJ ROBERT E. JENSEN 28974 (ç
			Ļ	Ē
	IMS TERRANCE M. SUPER E-18521	LECIRICA	L	E
	PLANS PREPARED FOR:			
	PLANS PREPARED FOR:			
	•			,
	verizo	n	V	
		וו	•	
	PLANS PREPARED BY:			
	7171 West 95t	h Street,	Suite	600
	Overland P	ark, Kans	sas 66	212
		one: 913-		
		-ax: 913-	438-7	777
	330			
	DRAWING NOTICE:			
	THIS DRAWING HAS NOT BEEN PUBLISH PROPERTY OF SSC, INC. AND IS LENT TO	THE BORR	OWER	FOR
	THEIR CONFIDENTIAL USE ONLY, AND IN THE LOAN OF THIS DRAWING, THE BORR	I CONSIDE	RATION	OF AND
	AGREES TO RETURN IT UPON REQUEST WILL NOT BE REPRODUCED, COPIED, L	AND AGRE	ES THA	TIT
	DISPOSED OF DIRECTLY OR INDIRECTLY PURPOSE OTHER THAN FOR WHICH	, NOR USE	D FOR	
	SUBMITTALS:			
	DESCRIPTION ISSUED FOR REVIEW	DATE 01/20/22	BY CZW	REV A
	REISSUED FOR REVIEW	10/13/22	CJO	B
	REISSUED FOR REVIEW	10/13/22	ABT	C
	ISSUED FOR CONSTRUCTION	12/18/23	DSL	0
	REISSUED PER CLIENT COMMENTS	03/14/24	ABT	1
	REVISED PER POWER COORD	04/24/24	DSL	2
	SITE NAME:			
		0000		
	STLC CHF FS	132C		
	MDG LOCATION #:			
	500088919	8		
	50000919	0		
	SITE ADDRESS:			
	13703 OLIVE B	LVD		
	CHESTERFIELD, M	IISSO	URI	: I
	63017	2		
	SHEET DESCRIPTION:	SHEE	T #:=	
		1		
	EQUIPMENT		-3.	<u> </u>
1	DETAILS (1 OF 2)		-5.	~
I.				

DocuSign Envelope ID: 706BAA38-14C3-421E-A67D-76810588AF6F




DocuSign Envelope ID: 706BAA38-14C3-421E-A67D-76810588AF6F





		STAMP:	
		KEVIN VANMAELE NUMBER PE-021561	
		KMV KEVIN M. VANMAELE 21561 C REJ ROBERT E. JENSEN 28974 C	¢EF-2791 SCIPLINE: VIL C LECTRICAL E
		PLANS PREPARED FOR:	
		PLANS PREPARED BY:	on√
TES: REGATE SHALL HAVE A MOISTURE IT A MINIMUM OF 7% OR SHALL ACHIEVE A 95% STANDARI COMPACTION RATING		7171 West 95th Overland Pa Pho	Street, Suite 600 rk, Kansas 66212 ne: 913-438-7700 ax: 913-438-7777
) AT 6" LIFTS USING A COMPACTION S REQUIRED			
UCTURAL INTEGRITY OF SUPPORTING MOUNTS, AND FOUNDATION SHALL E PTABLE BY ENGINEER CERTIFIED ALYSIS, UTILIZING THE LOADING N THESE DRAWINGS PRIOR TO THE MENT CHANGES CONTAINED IN THESI OR SHALL OBTAIN ALL STRUCTURAL OLLOW ALL RECOMMENDATIONS.	E	DRAWING NOTICE: THIS DRAWING HAS NOT BEEN PUBLISH PROPERTY OF SSC, INC. AND IS LENT TO THEIR CONFIDENTIAL USE ONLY. AND IN THE LOAN OF THIS DRAWING, THE BORRC AGREES TO RETURN IT UPON REQUEST WILL NOT BE REPRODUCED, COPIED, LE DISPOSED OF DIRECTLY OR INDIRECTLY, PURPOSE OTHER THAN FOR WHICH I SUBMITTALS:	THE BORROWER FOR CONSIDERATION OF WER PROMISES AND ND AGREES THAT IT INT OR OTHERWISE NOR USED FOR ANY
	_	REISSUED FOR REVIEW	DATE BY REV 01/20/22 CZW A 10/13/22 CJO B 10/18/23 ABT C
N GEOTECHNICAL VALUES FOR CLAS BLE1806.2 PRESUMPTIVE	s	REISSUED PER CLIENT COMMENTS	12/18/23 DSL 0 03/14/24 ABT 1 04/24/24 DSL 2
ECOMMISSIONED WOOD POLE IS NOT UTILIZED FOR NEW POLE ITION SHALL BE INSTALLED A MINIMI FROM DECOMMISSIONED POLE ADE PORTION OF DECOMMISSIONED	ML	STLC CHF FS (93SC
LE FOUNDATION SHALL BE INSTALLE TO EDGE FROM DECOMMISSIONED	D	MDG LOCATION #: 5000889198	
10N SHALL BE INSTALLED AGAINST		SITE ADDRESS: 13703 OLIVE B CHESTERFIELD, M 63017	
	1	SHEET DESCRIPTION: FOUNDATION DETAILS	SHEET #:
	L '		



TCP

SHEET #:

CHESTERFIELD, MISSOURI

5000889198


01/20/22 CZW A 10/13/22 CJO B 10/18/23 ABT C 12/18/23 DSL 0 REISSUED PER CLIENT COMMENTS 03/14/24 ABT REVISED PER POWER COORD 04/24/24 DSL 2

DRAWING NOTICE: THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF SSC, INC. AND IS LENT TO THE BOROWER FOR THEIR CONFIDENTIAL USE ONLY, AND IN CONSIDERATION OF THE LOAN OF THIS DRAWING, THE BORROWER PROMISES AND AGREES TO RETURN IT UPON REQUEST AND AGREES THAT IT WILL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED.

7171 West 95th Street, Suite 600 Overland Park, Kansas 66212 Phone: 913-438-7700 Fax: 913-438-7777

verizon

DocuSign Envelope ID: 706BAA38-14C3-421E-A67D-76810588AF6F



	STAMP:	
	BOCUSIONED CONAL ENSUREMENT	
	KMV KEVIN M. VANMAELE 21561 CIV REJ ROBERT E. JENSEN 28974 CIV	CIPLINE:
1		
	PLANS PREPARED FOR: Verizo	n
	Phon	Street, Suite 600 k, Kansas 66212 e: 913-438-7700 x: 913-438-7777
	PRAWING NOTICE: THIS DRAWING HAS NOT BEEN PUBLISHED	
ONDUIT	PROPERTY OF SSC, INC. AND IS LENT TO TI THEIR CONFIDENTIAL USE ONLY, AND IN C THE LOAN OF THIS DRAWING, THE BORROV AGREES TO RETURN IT UPON REQUEST AT WILL NOT BE REPRODUCED, COPIED, LEN DISPOSED OF DIRECTLY OR INDIRECTLY, N PURPOSE OTHER THAN FOR WHICH IT SUBMITTALS:	HE BORROWER FOR ONSIDERATION OF VER PROMISES AND ID AGREES THAT IT IT OR OTHERWISE IOR USED FOR ANY IS FURNISHED.
DISCONNECT SWITCH W/ SAFETY XOUT & AC LOAD CENTER S MODEL# PTS91536)	ISSUED FOR REVIEW 0 REISSUED FOR REVIEW 11 REISSUED FOR REVIEW 11 ISSUED FOR CONSTRUCTION 11 REISSUED FOR CLIENT COMMENTS 0	DATE BY REV 1/20/22 CZW A 0/13/22 CJO B 0/13/22 CJO B 0/18/23 ABT C 2/18/23 DSL 0 3/14/24 ABT 1 4/24/24 DSL 2
YSU (TYP)	STLC CHF FS 03	3SC
	MDG LOCATION #. 5000889198	
	SITE ADDRESS: 13703 OLIVE BL CHESTERFIELD, MI 63017	SSOURI
2	ELECTRICAL DETAILS	^{SHEET #:} E-1.0

